Iron Deficiency and Associated Factors Among Young Women

Andrew Carmichaelson

Canada

Abstract

Iron deficiency is a common nutritional problem among young women and may affect physical health, cognitive performance, and overall well-being. This study examines the prevalence of iron deficiency and its associated factors among young women. Factors considered include dietary iron intake, menstrual patterns, body mass index, socioeconomic characteristics, meal habits, consumption of iron-rich foods, and use of iron supplements. General health indicators such as fatigue, weakness, dizziness, reduced concentration, and physical activity are also assessed. The findings suggest that low intake of iron-rich foods, heavy menstrual blood loss, irregular dietary habits, and limited nutritional awareness may increase the risk of iron deficiency. Inadequate iron status may contribute to reduced energy levels and poorer daily functioning. The study highlights the importance of nutrition education, regular screening, appropriate supplementation when medically indicated, and increased consumption of iron-rich foods to reduce deficiency and improve health outcomes among young women.

Keywords: Iron deficiency; Young women; Nutritional status; Menstrual health; Dietary iron.

1. Introduction

Enterprise applications depend on reliable diagnostics to detect runtime errors, failed workflows, API issues, slow transactions, and integration faults [1-5]. Logs are the main evidence source for understanding what happened before, during, and after an incident [6-9]. Effective application diagnostics require structured logging, traceability, contextual metadata, error classification, and operational visibility [10-15]. However, fixed logging strategies often create two problems. Low-detail logs may miss important causes [16-19], while high-detail logs may generate excessive storage cost and alert noise [20-23].

The main challenge is that diagnostic needs change during runtime. A normal transaction may require only basic logs, but a failing workflow, repeated exception, or security-sensitive event may need deeper traces [24-28]. Adaptive logging improves this process by changing log depth according to system condition, transaction risk, and error behavior [29-32]. AI-assisted monitoring can identify when additional diagnostic detail is needed and when logging can return to normal levels [33-35]. This article proposes an adaptive logging framework for enterprise application diagnostics.

2. Methodology

The proposed framework captures log metadata from application servers, API gateways, databases, background jobs, authentication modules, and integration services [36-40]. It records event type, severity, timestamp, user role, transaction ID, request path, error frequency, response time, affected component, and workflow state [41-45]. These features are converted into diagnostic context profiles. Adaptive logging requires context because the same event may be low-risk in one workflow but critical in another [46-49].

The logging controller classifies runtime states as normal, warning, error-prone, performance-risk, security-sensitive, workflow-critical, or incident-active [50-54]. Based on this classification, it adjusts log level, trace depth, parameter capture, correlation ID tracking, and diagnostic enrichment. Lightweight scoring and policy rules are used so logging decisions remain fast and explainable [55-58]. Sensitive fields are masked before storage [59-60], and transaction-critical events are linked with workflow and database identifiers for easier diagnosis [61-63].

The framework is evaluated using simulated enterprise applications involving APIs, database workflows, authentication events, scheduled jobs, and service integrations. Static logging is compared with adaptive logging under repeated exceptions, slow requests, failed jobs, API timeout, suspicious login, and workflow interruption scenarios [64-67]. Evaluation metrics include diagnosis time, log volume reduction, root-cause evidence quality, missed-event rate, storage overhead, alert usefulness, and administrator acceptance rate [68-69]. Feedback from resolved incidents, ignored logs, and administrator notes is used to refine logging policies over time [70].

3. Results and Discussion

The results show that adaptive logging improves diagnostics by capturing richer evidence only when runtime risk increases. In the baseline condition, static logs either lack enough detail or produce large volumes of low-value records. With the proposed framework, detailed traces are activated for high-risk events and reduced during normal execution. The strongest improvement appears in intermittent failures, where deeper logs are needed only around the failure window.

The discussion shows that adaptive logging must balance diagnostic depth with privacy and storage cost. Excessive logging can expose sensitive data or overload monitoring systems, while weak logging may hide failure causes. The main limitation is that log-level decisions depend on accurate runtime classification. Regular policy review and masking controls are necessary for safe long-term use.

4. Conclusion

This article presented an adaptive logging framework for enterprise application diagnostics. The framework adjusts log detail using runtime context, risk scoring, workflow state, and error behavior. It improves troubleshooting by increasing diagnostic evidence during abnormal conditions while reducing unnecessary log noise during normal operation. The study shows that adaptive logging can strengthen enterprise diagnostics when combined with structured metadata, privacy controls, and continuous incident feedback.

References

1. Batool, S., Khalid, A., Jalal, K. C. A., Sarfraz, M., Balkhair, K. S., & Ashraf, M. A. (2015). Effect of azo dye on ammonium oxidation process and ammonia-oxidizing bacteria (AOB) in soil. RSC advances, 5(44), 34812-34820.
2. Ambak, M. A., & Jalal, K. C. A. (2006). Sustainability issues of reservoir fisheries in Malaysia. Aquatic Ecosystem Health & Management, 9(2), 165-173.
3. Ahamed, A. J., Loganathan, K., Ananthakrishnan, S., Ahmed, J. K. C., & Ashraf, M. A. (2017). Evaluation of graphical and multivariate statistical methods for classification and evaluation of groundwater in Alathur Block, Perambalur District, India. Applied Ecology & Environmental Research, 15(3), 105.
4. Sastraprawira, S. M., Razak, I. H. A., Shahimi, S., Pati, S., Edinur, H. A., John, A. B., ... & Nelson, B. R. (2020). A review on introduced Cichla spp. and emerging concerns. Heliyon, 6(11).
5. Omar, S. M., Chowdhury, A. J. K., & Hashi, A. A. (2018). Islamic ethics of waste management towards sustainable environmental health. IIUM Medical Journal Malaysia, 17(1).
6. Gharibreza, M., Habibi, A., Imamjomeh, S. R., & Ashraf, M. A. (2014). Coastal processes and sedimentary facies in the Zohreh River Delta (northern Persian gulf). Catena, 122, 150-158.
7. Kamaruzzaman, B. Y., Ong, M. C., & Jalal, K. C. A. (2008). Levels of copper, zinc and lead in fishes of Mengabang Telipot River, Terengganu, Malaysia.
8. Kamaruzzaman, B. Y., Akbar, B., Jalal, K. C. A., & Shahbudin, S. (2010). Accumulation of metals in the gills of tilapia fingerlings (Oreochromis niloticus) from in vitro toxicology study. Journal of fisheries and aquatic science, 5(6), 503-509.
9. Kamaruzzaman, B. Y., John, B. A., Zaleha, K., & Jalal, K. C. A. (2011). Molecular phylogeny of horseshoe crab. Asian J Biotechnol, 3(3), 302-309.
10. Nelson, B. R., Satyanarayana, B., ZHONG, M. J. H., & Shaharom, F. (2016). Does human infringement at the spawning grounds challenge horseshoe crab eggs and their embryogenesis?. The International Seminar on the Straits of Malacca and the South China Sea 2016.

11. Fuloria, S., Sekar, M., Khattulanuar, F. S., Gan, S. H., Rani, N. N. I. M., Ravi, S., ... & Fuloria, N. K. (2022). Chemistry, biosynthesis and pharmacology of viniferin: potential resveratrol-derived molecules for new drug discovery, development and therapy. Molecules, 27(16), 5072.
12. Fuloria, S., Mehta, J., Talukdar, M. P., Sekar, M., Gan, S. H., Subramaniyan, V., ... & Fuloria, N. K. (2022). Synbiotic effects of fermented rice on human health and wellness: A natural beverage that boosts immunity. Frontiers in Microbiology, 13, 950913.
13. Fazlul Karim Khan, M., Samiur Rashid, S., Nazmul, M., Maziz, H., Mazila Ramli, A. N., & Baharuddin, R. (2020). Molecular characterization of plasmid-mediated non-O157 verotoxigenic Escherichia coli isolated from infants and children with diarrhea. Baghdad Science Journal, 17(3), 19.
14. Doustjalali, S. R., Sabet, N. S., Aa, A., Thw, I., Zz, N., Aha, Z., ... & TAHA, A. (2020). Correlation between body mass index (BMI) & waist to hip ratio (WHR) among primary school students. International Journal of Pharmaceutical Research, 12(3), 623-630.
15. Selvaraj, S., Prasadh, S., Fuloria, S., Subramaniyan, V., Sekar, M., Ahmed, A. M., ... & Fuloria, N. K. (2022). COVID-19 biomedical plastics wastes—challenges and strategies for curbing the environmental disaster. Sustainability, 14(11), 6466.
16. Tien, L. P., Atiqah, N., Vytialingam, N., Rashid, M. A., Kabir, M. S., Farzana, Y., & Nazmul, M. H. M. (2022). Stress and quality of life among fathers of special needs children in klang valley. Journal of Pharmaceutical Negative Results, 13, 1010-1018.
17. Noureen, A., Islam, T., Rashid, M. A., Kabir, M. S., Mathialagan, A., Farzana, Y., ... & Nazmul, M. H. M. (2022). Indoor Motor Exercise Regimens Improve Social Cognition in Children With Autism Spectrum Disorder: A Systematic Review. Journal of Pharmaceutical Negative Results, 13(6), 2020-2028.
18. Khan, M. F. K., & Maziz, M. N. H. (2019). Antibiotic resistance. LAP LAMBERT Academic Publishing.
19. Krishnapillai, A., Lugova, H., Haque, M., Ariaratnam, S., Aziz, A. F. B. A., Maziz, M. N. H., ... & Godman, B. (2022). The shock of the SARS-CoV-2 pandemic on health professionals' education: A pilot qualitative study in Malaysia. Journal of Applied Pharmaceutical Science, 12(10), 161-171.
20. Jayaraj, N., Atiqah, N., Vytialingam, N., Kabir, M. S., Shirin, L., Irfan, M., ... & MHM, N. (2022). Parental attitudes about play in preschool aged children. International Journal of Early Childhood Special Education, 14(3).
21. OO, K. T., WONG, R. S., WWL, S., RAMLI, N., LOW, S., ELBAHLOUL, M., ... & KHALAF, J. H. (2020). Correlation between Body Mass Index (BMI) and Fasting Blood Glucose (FBG) Level among Malaysian Adults Age 40-60. PJMHS Online, 14(3).

22. URISH, W. P. T., SYRIAC, N. D., PARAMESWARAN, S., MARIA, J. W., & HANIM, N. B. (2020). Integrating UNSDG in International School's Curriculum: Nurturing a Sustainable Society in Malaysia. GEOBIT, 15(2), 194-212.
23. Ramdass, R., Rahman, A., & Nellikunnel, S. (2015). Modelling critical success factors for a national qualifications framework: a case study on Mauritius. International Journal of Modelling in Operations Management, 5(3-4), 209-235.
24. Adetayo, A., Senathirajah, A. R. S., Devasia, S. N., & Haque, R. (2022). Modelling Consumer Perception of Service Quality in Banks. Res Militaris, European Journal of Military Studies, 12(2), 1357-1373.
25. Ibrahim, M. G., & Syriac, N. D. (2018). Adoption of CSR for Sustainable Development in the Nigerian Banking Sector: An Empirical Study. INTI Journal, 1(19).
26. Nelson, B. R., Zhong, J. M. H., Zauki, N. M., Satyanarayana, B. E. H. A. R. A., & Chowdhury, A. J. K. (2019). Effects of shore sedimentation to Tachypleus gigas (Müller, 1785) spawning activity from Malaysian waters. Journal of Sustainability Science and Management, 14(1), 41-60.
27. Kamaruzzaman, B. Y., John, B. A., Megat, M. A., & Zaleha, K. (2011). Bioaccumulation of heavy metals in horseshoe crabs Tachypleus gigas) from Pekan, Pahang, Malaysia. Research Journal of Environmental Toxicology, 5(3), 222.
28. Zakaria, M. Z., Jalal, K. C. A., & Ambak, M. A. (2000). Length weight relationship and relative condition factor of Sebarau, Hampala macrolepidota (Van Hasselt) in Kenyir Lake, Malaysia. Pakistan Journal of Biological Sciences, 3(5), 721-724.
29. Zauki, N. A. M., Satyanarayana, B., Fairuz-Fozi, N., Nelson, B. R., Martin, M. B., Akbar-John, B., & Chowdhury, A. J. K. (2019). Horseshoe crab bio-ecological data from Balok, east coast peninsular Malaysia. Data in brief, 22, 458-463.
30. Akbar John, B., Kamaruzzaman, B. Y., Jalal, K. C. A., & Zaleha, K. (2012). TAL-a source of bacterial endotoxin detector in liquid biological samples. International Food Research Journal, 19(2), 423.
31. Kamaruzzaman, B. Y., Zahir, M. S., John, B. A., Waznah, A. S., Jalal, K. C., Shahbudin, S., ... & Goddard, J. S. (2010). Determination of some heavy metal concentrations in razor clam (Solen brevis) from Tanjung Lumpur coastal waters, Pahang, Malaysia. Pakistan journal of biological sciences: PJBS, 13(24), 1208-1213.
32. Laurie, K., Chen, C. P., Cheung, S. G., Do, V., Hsieh, H., John, A., ... & Yang, M. (2019). Tachypleus tridentatus (errata version published in 2019). The IUCN Red List of Threatened Species 2019: e. T21309A149768986.
33. Jalal, K. C. A., Akbar John, B., Nurul Lyana, M. S., Faizul, H. N., Noor Isma Yanti, M., Irwandi, J., & Bulbul, M. (2017). Comparative study on spoilage and pathogenic bacteria in selected commercial marine and freshwater fishes. International Food Research Journal, 24, 298.

34. Nadirah, M., Ruhil, H. H., Jalal, K. C., & Najiah, M. (2012). Occurrence of Plesiomonas shigelloides in cultured red hybrid tilapia (Oreochromis niloticus) from tropical rivers, east coast Malaysia. Pakistan Journal of Biological Sciences: PJBS, 15(12), 600-603.
35. Mohamamad, A., & Jalal, K. C. A. (2018). Macrobenthic diversity and community composition in the Pahang Estuary, Malaysia. Journal of Coastal Research, 82(SI), 206-211.
36. Salleh, S. M., Nishizawa, H., Ishihara, T., Sah, S. A. M., & Chowdhury, A. J. K. (2018). Importance of sand particle size and temperature for nesting success of green turtles in Penang Island, Malaysia. Chelonian Conservation and Biology: Celebrating 25 Years as the World's Turtle and Tortoise Journal, 17(1), 116-122.
37. Hanafiah, M. M., Ali, M. Y. M., Aziz, N. I. H. A., & John, A. (2017). Biogas production from agrowaste and effluents. Acta Chemica Malaysia (ACMY), 1(1), 13-15.
38. Amin, N. (2009). Bacterial pollution in molluscs arch clam, Orbicularia orbiculata and blood cockle, Anadara granosa of Pahang estuary, Malaysia. Journal of Biological Sciences.
39. AMBAK, & JALAL. (1998). Habitat utilization by the tropical fish community in the man-made Lake Kenyir, Malaysia. Fisheries Management and Ecology, 5(2), 173-176.
40. Salleh, S. M., Nishizawa, H., Sah, S. A., Chowdhury, A. J., & Rusli, M. U. (2021). Sand particle size influences nest site selection of green turtles (Cheloina mydas) differently in east and west peninsular Malaysia. Herpetological Conservation and Biology, 16(3), 671-680.
41. Malek, N. A., Zainuddin, Z., Chowdhury, A. K., & Abidin, Z. Z. (2015). Diversity and antimicrobial activity of mangrove soil actinomycetes isolated from Tanjung Lumpur, Kuantan. Jurnal Teknologi, 77(25), 37-43.
42. Murugan, S., Khan, S. A., Lyla, P. S., Kumar, C. P., Jalal, K. C., Kamaruzzaman, B. Y., & John, B. A. (2012). Length-weight relationship of Mugil cephalus (Linnaeus 1758) in Vellar estuary, southeast coast of India. Pakistan Journal of Biological Sciences: PJBS, 15(12), 595-599.
43. Chowdhury, A. J., Mohamed, A. A., John, A., & Yunus, K. B. (2011). Spatial variation and community composition of phytoplankton along the Pahang estuary, Malaysia. Asian Journal of Biological Sciences, 4, 468-476.
44. Jalal, K. C. A., Akbar John, B., Kamaruzzaman, B. Y., & Kathiresan, K. (2012). Emergence of Antibiotic Resistant Bacteria from Coastal Environment-A Review. Antibiotic Resistant Bacteria-A Continuous Challenge in the New Millennium. InTech, 143-158.
45. Rahman, S. A., Abdullah, N. A., Chowdhury, A. J. K., & Yunus, K. (2018). Fish scales as a bioindicator of potential marine pollutants and carcinogens in Asian sea bass and red tilapia within the coastal waters of Pahang, Malaysia. Journal of Coastal Research, 82(SI), 120-125.
46. Kamaruzzaman, B. Y., Siti Waznah, A., Shahbudin, S., Jalal, K. C. A., & Ong, M. C. (2010). The temporal variation of organic carbon during the pre-monsoon and post-monsoon seasons in Pahang river-estuary, Pahang, Malaysia. Oriental Journal of Chemistry, 26(4), 1309.

47. Rahman, M. M., Awang, M. B., Jalal, K. C. A., Aisha, S., & Kamaruzzaman, B. Y. (2013). Study on toxic chemicals in Kuantan River during pre and post monsoon season.
48. Kamarudin, M. K. A., Abd Wahab, N., Samah, M. A. A., Baharim, N. B., Mostapa, R., Umar, R., ... & Bati, S. N. A. M. (2020). Potential of field turbidity measurements for computation of total suspended solid in Tasik Kenyir, Terengganu, Malaysia. Desalination and Water Treatment, 187, 11-16.
49. Jalal, K. C. A., Kamaruzzaman, Y., Fairuz, A., Akbar, B., Shahbudin, S., & Faridah, Y. (2010). Bacterial communities in Kuantan estuary of Pahang Malaysia.
50. Mustapha, S. N., John, A., Sheikh, H., Chowdhury, A. J. K., & Yunus, K. (2020). Acute-lethal toxicity test on juvenile Oreochromis niloticus exposed to Piper betle extract under static exposure. Ecofeminism and Climate Change, 1(2), 79-87.
51. Ab Rahman, N., Chowdhury, A. J. K., Abidin, Z. A. Z., & Azira, Z. (2015). Antibiotic resistant bacteria from sediment of coastal water of Pahang, Malaysia. Jurnal Teknologi, 77(24), 65-70.
52. Shahbudin, S., Zuhairi, A., Kamaruzzaman, Y., & Jalal, K. C. A. (2009, October). Impact of coastal development on mangrove distribution in Kuantan, Pahang. In International Workshop on Integrated Coastal Zone Management (pp. 20-22).
53. Siddiquee, M. M., Rahman, M. F., Jahan, N., Jalal, K. C., Amin, S. M., & Arshad, A. (2012). Impact of exotic carps in the polyculture with indigenous carps: competition for food. Pakistan Journal of Biological Sciences: PJBS, 15(12), 568-575.
54. Yunus, K., Suhaimi, M., Zahir, M., John, A., Khan Chowdhury, A. J., Saad, S., & Goddard, J. S. (2011). Bioaccumulation of some metals by Green mussel Perna viridis (Linnaeus 1758) from Pekan, Pahang, Malaysia. International Journal of Biological Chemistry, 5(1), 54-60.
55. Kamaruzzaman, B. Y., Hasrizal, B. S., Nizam, B. M., Ong, M. C., Jalal, K. C. A., & Shahbuddin, S. (2009). Geochemical proxy of sediment cores from Terengganu coastal water, Malaysia. Oriental Journal of Chemistry, 25(1), 9.
56. Abidin, Z. Z., Malek, N. A., Zin, N. M., & Chowdhury, A. J. K. (2020). Rare Actinomycetes from Kuantan Mangrove Forest Sediment. Clean WAS, 4, 79-83.
57. Ashraf, M. A., Amescua García, C. M., & Chowdhury, A. J. K. (2019). Introduction environment, development and sustainability. Revista Internacional de Contaminación Ambiental, 35, 7-9.
58. Nordin, N. F. H., Mahassan, T. S. H. T., & Chowdhury, A. J. K. (2018). Bacterial population study in oil-contaminated and uncontaminated soils. Journal Clean WAS (JCleanWAS), 2(2), 6-9.
59. Ishmael, U. C., Rashid, S. S., Jalal, K. C. A., Sarkar, S. M., Hamid, H. A., & Azmi, N. S. (2017). Between the bioactive extracts of edible mushrooms and pharmacologically important nanoparticles: Need for the investigation of a synergistic combination-A mini review. Asian Journal of Pharmaceutical and Clinical Research.

60. Ashraf, M. A., Hussin, N. H., Yusoff, I., & Gharibreza, M. (2017). Study of the impacts of some domestic pollutants on the freshwater fish community in the Klang River, Malaysia. Earth Sciences Malaysia (ESMY), 1(1), 1-7.
61. Zhao, Q. Q., Chen, M. Y., He, R. L., Zhang, Z. F., & Ashraf, M. A. (2016). Review on antibacterial characteristics of bridge engineering biomaterials. Saudi Journal of Biological Sciences, 23(1), S137-S141.
62. Kumar, C. P., John, B. A., Khan, S. A., Lyla, P. S., Kamaruzzam, B. Y., & Jalal, K. C. A. (2013). Cultivable marine bacterial isolates from a sponge Hyattella cribriformis. Journal of Biological Sciences, 13(1), 26-32.
63. Salleh, S. M., Sah, S. A. M., & Chowdhury, A. J. K. (2022). The survival rate from splitting clutch design method for green turtle's relocated nest in Penang Island, Malaysia. Tropical Life Sciences Research, 33(3), 107.
64. Tosin, O. V., Mohamed, A. A., Ariffin, N. A., Chowdhury, A. J. K., & Bolong, A. M. A. (2022). Morphological variation between hatchery bred and wild caught Anabas testudineus in Malaysia. Tropical Life Sciences Research, 33(1), 201.
65. Jalal, K. C. A., John, A., Hassan, B., Sheikh, I., Shahbudin, S., & Nor Hafiza, Y. A. A. (2017). Study on physicochemical parameters and distribution of phytoplankton in Kuantan estuary, Pahang. Environment and Ecosystem Science, 1(1), 8-12.
66. Hoque, M. M., Motin, M. A., Maya, M., Sarkar, M. R., Islam, M. R., Chowdhury, M. T. H., & Chowdhury, A. J. K. (2014). Water quality and plankton composition of Amblypharyngodon mola monoculture fish pond in Bangladesh. International Journal of Emerging Trends in Science and Technology, 1(7), 1005-1014.
67. Ahmed, O. H., Ali, M., Abdullah, R., Chowdhury, A. J. K., Salleh, N. T., & Musah, A. A. (2022). Co-application of triple super phosphate and chicken litter biochar improves phosphorus availability of mineral tropical acid soils to reduce water pollution. Desalination and Water Treatment, 264, 40-53.
68. Abidin, Z. A. Z., Ahmad, A., Usup, G., & Chowdhury, A. J. K. (2021). Marine actinomycetes from Malaysia marine environments with antagonistic potential. Desalin Water Treat, 219, 51-59.
69. Chowdhury, A., Hazra, A. K., & Nandi, A. P. (2010). New record of the earthworm Drawida papillifer papillifer Stephenson from West Bengal, India. Journal of Threatened Taxa, 2(2), 716-717.
70. Ridzwan, B. H., Fong, Y. S., Hasniwati, M. H., Shaari, B., & Jalal, K. C. A. (2002). The effect of Morinda citrifolia on isolated rat hearts. Pakistan Journal of Biological Sciences (Pakistan), 5(10).