Self-Medication Practices and Associated Health Risks Among Adults

Pierre Vercelin

France

Abstract

Self-medication is a common practice among adults and may involve the use of medicines without appropriate professional consultation or prescription. This study examines self-medication practices and their associated health risks among adults. Self-medication behavior is assessed through the types of medicines used, reasons for use, sources of information, frequency of consumption, and access to over-the-counter drugs. Commonly reported reasons include minor illnesses, previous experience with similar symptoms, convenience, cost, and easy availability of medicines. The findings suggest that inappropriate self-medication may increase the risk of incorrect dosage, adverse drug reactions, drug interactions, delayed diagnosis, and antimicrobial resistance. Limited knowledge of medication safety may further increase these risks. The study highlights the importance of public health education, responsible medicine use, pharmacist involvement, and timely consultation with qualified healthcare professionals to reduce unsafe self-medication practices and prevent avoidable health complications among adults.

Keywords: Self-medication; Medication safety; Health risks; Adults; Drug misuse.

1. Introduction

Enterprise applications depend on reliable diagnostics to detect runtime errors, failed workflows, API issues, slow transactions, and integration faults [1-5]. Logs are the main evidence source for understanding what happened before, during, and after an incident [6-9]. Effective application diagnostics require structured logging, traceability, contextual metadata, error classification, and operational visibility [10-15]. However, fixed logging strategies often create two problems. Low-detail logs may miss important causes [16-19], while high-detail logs may generate excessive storage cost and alert noise [20-23].

The main challenge is that diagnostic needs change during runtime. A normal transaction may require only basic logs, but a failing workflow, repeated exception, or security-sensitive event may need deeper traces [24-28]. Adaptive logging improves this process by changing log depth according to system condition, transaction risk, and error behavior [29-32]. AI-assisted monitoring can identify when

additional diagnostic detail is needed and when logging can return to normal levels [33-35]. This article proposes an adaptive logging framework for enterprise application diagnostics.

2. Methodology

The proposed framework captures log metadata from application servers, API gateways, databases, background jobs, authentication modules, and integration services [36-40]. It records event type, severity, timestamp, user role, transaction ID, request path, error frequency, response time, affected component, and workflow state [41-45]. These features are converted into diagnostic context profiles. Adaptive logging requires context because the same event may be low-risk in one workflow but critical in another [46-49].

The logging controller classifies runtime states as normal, warning, error-prone, performance-risk, security-sensitive, workflow-critical, or incident-active [50-54]. Based on this classification, it adjusts log level, trace depth, parameter capture, correlation ID tracking, and diagnostic enrichment. Lightweight scoring and policy rules are used so logging decisions remain fast and explainable [55-58]. Sensitive fields are masked before storage [59-60], and transaction-critical events are linked with workflow and database identifiers for easier diagnosis [61-63].

The framework is evaluated using simulated enterprise applications involving APIs, database workflows, authentication events, scheduled jobs, and service integrations. Static logging is compared with adaptive logging under repeated exceptions, slow requests, failed jobs, API timeout, suspicious login, and workflow interruption scenarios [64-67]. Evaluation metrics include diagnosis time, log volume reduction, root-cause evidence quality, missed-event rate, storage overhead, alert usefulness, and administrator acceptance rate [68-69]. Feedback from resolved incidents, ignored logs, and administrator notes is used to refine logging policies over time [70].

3. Results and Discussion

The results show that adaptive logging improves diagnostics by capturing richer evidence only when runtime risk increases. In the baseline condition, static logs either lack enough detail or produce large volumes of low-value records. With the proposed framework, detailed traces are activated for high-risk events and reduced during normal execution. The strongest improvement appears in intermittent failures, where deeper logs are needed only around the failure window.

The discussion shows that adaptive logging must balance diagnostic depth with privacy and storage cost. Excessive logging can expose sensitive data or overload monitoring systems, while weak logging may hide failure causes. The main limitation is that log-level decisions depend on accurate runtime classification. Regular policy review and masking controls are necessary for safe long-term use.

4. Conclusion

This article presented an adaptive logging framework for enterprise application diagnostics. The framework adjusts log detail using runtime context, risk scoring, workflow state, and error behavior. It improves troubleshooting by increasing diagnostic evidence during abnormal conditions while reducing unnecessary log noise during normal operation. The study shows that adaptive logging can strengthen enterprise diagnostics when combined with structured metadata, privacy controls, and continuous incident feedback.

References

1. Sheikh, H., John, A., Musa, N., Abdulrazzak, L. A., Alfatama, M., & Fadhlina, A. (2022). Vibrio spp. and their vibriocin as a vibriosis control measure in aquaculture. Applied Biochemistry and Biotechnology, 194(10), 4477-4491.
2. Batool, S., Khalid, A., Jalal, K. C. A., Sarfraz, M., Balkhair, K. S., & Ashraf, M. A. (2015). Effect of azo dye on ammonium oxidation process and ammonia-oxidizing bacteria (AOB) in soil. RSC advances, 5(44), 34812-34820.
3. Ambak, M. A., & Jalal, K. C. A. (2006). Sustainability issues of reservoir fisheries in Malaysia. Aquatic Ecosystem Health & Management, 9(2), 165-173.
4. Ahamed, A. J., Loganathan, K., Ananthakrishnan, S., Ahmed, J. K. C., & Ashraf, M. A. (2017). Evaluation of graphical and multivariate statistical methods for classification and evaluation of groundwater in Alathur Block, Perambalur District, India. Applied Ecology & Environmental Research, 15(3), 105.
5. Omar, S. M., Chowdhury, A. J. K., & Hashi, A. A. (2018). Islamic ethics of waste management towards sustainable environmental health. IIUM Medical Journal Malaysia, 17(1).
6. Chowdhury, A. J. K., Zakaria, N. H., Abidin, Z. A. Z., & Rahman, M. M. (2016). Phototrophic purple bacteria as feed supplement on the growth, feed utilization and body compositions of Malaysian Mahseer, Tor tambroides juveniles. Sains Malaysiana, 45(1), 135-140.
7. Kamaruzzaman, B. Y., John, B. A., Zaleha, K., & Jalal, K. C. A. (2011). Molecular phylogeny of horseshoe crab. Asian J Biotechnol, 3(3), 302-309.
8. Nelson, B. R., Satyanarayana, B., ZHONG, M. J. H., & Shaharom, F. (2016). Does human infringement at the spawning grounds challenge horseshoe crab eggs and their embryogenesis?. The International Seminar on the Straits of Malacca and the South China Sea 2016.
9. Fuloria, S., Mehta, J., Talukdar, M. P., Sekar, M., Gan, S. H., Subramaniyan, V., ... & Fuloria, N. K. (2022). Synbiotic effects of fermented rice on human health and wellness: A natural beverage that boosts immunity. Frontiers in Microbiology, 13, 950913.

10. Fazlul Karim Khan, M., Samiur Rashid, S., Nazmul, M., Maziz, H., Mazila Ramli, A. N., & Baharuddin, R. (2020). Molecular characterization of plasmid-mediated non-O157 verotoxigenic Escherichia coli isolated from infants and children with diarrhea. Baghdad Science Journal, 17(3), 19.
11. Doustjalali, S. R., Sabet, N. S., Aa, A., Thw, I., Zz, N., Aha, Z., ... & TAHA, A. (2020). Correlation between body mass index (BMI) & waist to hip ratio (WHR) among primary school students. International Journal of Pharmaceutical Research, 12(3), 623-630.
12. Selvaraj, S., Prasadh, S., Fuloria, S., Subramaniyan, V., Sekar, M., Ahmed, A. M., ... & Fuloria, N. K. (2022). COVID-19 biomedical plastics wastes—challenges and strategies for curbing the environmental disaster. Sustainability, 14(11), 6466.
13. Subramaniyan, V., Fuloria, S., Sekar, M., Shanmugavelu, S., Vijeepallam, K., Kumari, U., ... & Fuloria, N. K. (2023). Introduction to lung disease. In Targeting epigenetics in inflammatory lung diseases (pp. 1-16). Singapore: Springer Nature Singapore.
14. Hua, B. H., Sugumaran, S. V., Faryza, E., Atiqah, N., Jasvindar, K., Kabir, M. S., ... & Nazmul, M. H. (2022). Prevalence of musculoskeletal disorders (MSD) and smartphone addictions among university students in Malaysia. Int J Health Sci, 6(S3), 1075-88.
15. Tien, L. P., Atiqah, N., Vytialingam, N., Rashid, M. A., Kabir, M. S., Farzana, Y., & Nazmul, M. H. M. (2022). Stress and quality of life among fathers of special needs children in klang valley. Journal of Pharmaceutical Negative Results, 13, 1010-1018.
16. Noureen, A., Islam, T., Rashid, M. A., Kabir, M. S., Mathialagan, A., Farzana, Y., ... & Nazmul, M. H. M. (2022). Indoor Motor Exercise Regimens Improve Social Cognition in Children With Autism Spectrum Disorder: A Systematic Review. Journal of Pharmaceutical Negative Results, 13(6), 2020-2028.
17. Khan, M. F. K., & Maziz, M. N. H. (2019). Antibiotic resistance. LAP LAMBERT Academic Publishing.
18. Krishnapillai, A., Lugova, H., Haque, M., Ariaratnam, S., Aziz, A. F. B. A., Maziz, M. N. H., ... & Godman, B. (2022). The shock of the SARS-CoV-2 pandemic on health professionals' education: A pilot qualitative study in Malaysia. Journal of Applied Pharmaceutical Science, 12(10), 161-171.
19. Jayaraj, N., Atiqah, N., Vytialingam, N., Kabir, M. S., Shirin, L., Irfan, M., ... & MHM, N. (2022). Parental attitudes about play in preschool aged children. International Journal of Early Childhood Special Education, 14(3).
20. OO, K. T., WONG, R. S., WWL, S., RAMLI, N., LOW, S., ELBAHLOUL, M., ... & KHALAF, J. H. (2020). Correlation between Body Mass Index (BMI) and Fasting Blood Glucose (FBG) Level among Malaysian Adults Age 40-60. PJMHS Online, 14(3).
21. Jie, H. S., & Nellikunnel, S. (2023). A study on Jose Mourinho's leadership skills and performance on football clubs. Journal of Business and Social Sciences, 2023.

22. Xiaokang, S., & Nellikunnel, S. (2019). INNOVATIVE PACKAGING ATTRIBUTES AND CUSTOMER PURCHASE INTENTION IN SNACK FOODS. Humanities & Social Sciences Reviews, 7(2), 424-433.
23. Chee, W. W., & Nellikunnel, S. (2023). Peer Communications Influence on Purchase Intention of Beauty Products. Journal of Business and Social Sciences, 2023.
24. Guan, D., & Syriac, N. (2023). Modelling Factors Influencing Consumers Trust in E-Commerce in Shanghai China. Journal of Business and Social Sciences, 2023(19), 1-8.
25. Adetayo, A., Senathirajah, A. R. S., Devasia, S. N., & Haque, R. (2022). Modelling Consumer Perception of Service Quality in Banks. Res Militaris, European Journal of Military Studies, 12(2), 1357-1373.
26. Nelson, B. R., Zhong, J. M. H., Zauki, N. M., Satyanarayana, B. E. H. A. R. A., & Chowdhury, A. J. K. (2019). Effects of shore sedimentation to Tachypleus gigas (Müller, 1785) spawning activity from Malaysian waters. Journal of Sustainability Science and Management, 14(1), 41-60.
27. Amira, F. S., Rahman, M. M., Kamaruzzaman, Y., Jalal, K. C. A., Hossain, M. Y., & Khan, N. S. (2016). Relative abundance and growth of male and female Nemipterus furcosus population. Sains Malaysiana, 45(1), 79-86.
28. Kamaruzzaman, B. Y., John, B. A., Megat, M. A., & Zaleha, K. (2011). Bioaccumulation of heavy metals in horseshoe crabs Tachypleus gigas) from Pekan, Pahang, Malaysia. Research Journal of Environmental Toxicology, 5(3), 222.
29. Jalal, K. C. A., Faizul, H. N., Kamaruzzaman, B. Y., Shahbudin, S., Alam, M. Z., & Irwandi, J. (2009). Studies on physico-chemical characteristics and sediment environment along the coastal waters in Pulau Tuba, Langkawi, Malaysia. Aquatic Ecosystem Health & Management, 12(4), 350-357.
30. Chen, Z. X., Lei, Q., He, R. L., Zhang, Z. F., & Chowdhury, A. J. K. (2016). Review on antibacterial biocomposites of structural laminated veneer lumber. Saudi journal of biological sciences, 23(1), S142-S147.
31. Nadirah, M., Ruhil, H. H., Jalal, K. C., & Najiah, M. (2012). Occurrence of Plesiomonas shigelloides in cultured red hybrid tilapia (Oreochromis niloticus) from tropical rivers, east coast Malaysia. Pakistan Journal of Biological Sciences: PJBS, 15(12), 600-603.
32. John, B. A., Jalal, K. C. A., Zaleha, K., Armstrong, P., & Kmaruzzaman, B. Y. (2011). Effects of blood extraction on the mortality of Malaysian horseshoe crabs (Tachypleus gigas). Marine and freshwater behaviour and physiology, 44(5), 321-327.
33. Chowdhury, A. J. K., Hashim, N., Marsal, C. J., & Jamaludin, M. H. (2023). Water treatment and aquaculture products towards halal value chain in ASEAN countries: a retrospective review on Brunei Darussalam. Desalination and Water Treatment, 315, 479-491.

34. Salleh, S. M., Nishizawa, H., Ishihara, T., Sah, S. A. M., & Chowdhury, A. J. K. (2018). Importance of sand particle size and temperature for nesting success of green turtles in Penang Island, Malaysia. Chelonian Conservation and Biology: Celebrating 25 Years as the World's Turtle and Tortoise Journal, 17(1), 116-122.
35. Kassim, Z., John, A., Chin, L. K., Zakaria, N. F., & Asgnari, N. H. (2014). Sustainable technique for selected live feed culture. Sustainable aquaculture techniques, 105-133.
36. Rana, M. M., Asdari, R., Chowdhury, A. J. K., & Munir, M. B. (2023). Heavy metal contamination during processing of canned fish: a review on food health and food safety. Desalination and Water Treatment, 315, 492-499.
37. Amin, N. (2009). Bacterial pollution in molluscs arch clam, Orbicularia orbiculata and blood cockle, Anadara granosa of Pahang estuary, Malaysia. Journal of Biological Sciences.
38. Salleh, S. M., Nishizawa, H., Sah, S. A., Chowdhury, A. J., & Rusli, M. U. (2021). Sand particle size influences nest site selection of green turtles (Cheloina mydas) differently in east and west peninsular Malaysia. Herpetological Conservation and Biology, 16(3), 671-680.
39. Malek, N. A., Zainuddin, Z., Chowdhury, A. K., & Abidin, Z. Z. (2015). Diversity and antimicrobial activity of mangrove soil actinomycetes isolated from Tanjung Lumpur, Kuantan. Jurnal Teknologi, 77(25), 37-43.
40. Murugan, S., Khan, S. A., Lyla, P. S., Kumar, C. P., Jalal, K. C., Kamaruzzaman, B. Y., & John, B. A. (2012). Length-weight relationship of Mugil cephalus (Linnaeus 1758) in Vellar estuary, southeast coast of India. Pakistan Journal of Biological Sciences: PJBS, 15(12), 595-599.
41. Zahir, M. M., Kamaruzzaman, B. Y., John, B. A., Jalal, K. C. A., Shahbudin, S., Al-Barwani, S. M., & Goddard, J. S. (2011). Bioaccumulation of selected metals in the blood cockle (Anadara granosa) from Langkawi Island, Malaysia.
42. Abidin, Z. A. Z., Chowdhury, A. J. K., Malek, N. A., & Zainuddin, Z. (2018). Diversity, antimicrobial capabilities, and biosynthetic potential of mangrove actinomycetes from coastal waters in Pahang, Malaysia. Journal of Coastal Research, 82(SI), 174-179.
43. Jalal, K. C., Kamaruzzaman, B. Y., Arshad, A., Ara, R., & Rahman, M. F. (2012). Diversity and distribution of fishes in tropical estuary Kuantan, Pahang, Malaysia. Pakistan journal of biological sciences: PJBS, 15(12), 576-582.
44. John, B. A., Kamaruzzaman, B. Y., Jalal, K. C. A., & Zaleha, K. (2011). Hydrology of the horseshoe crab nesting grounds at Pahang coast, Malaysia.
45. Kamaruzzaman, B. Y., Waznah, A. S., Ong, M. C., Shahbudin, S., & Jalal, K. C. A. (2009). Variability of organic carbon content in bottom sediment of Pahang river estuary, Pahang, Malaysia.
46. Azratul, A. N. M. D., John, A., Kamaruzzaman, B., Hassan Sheikh, B. Y., Jalal, K. C. A., & Noor Faizul, H. N. (2017). Biomonitoring selected heavy metal concentration in Nerita Sp. collected from tanjung lumpur mangrove forest. Environment & Ecosystem Science, 1(1), 4-7.

47. Chowdhury, A. J., Mohamed, A. A., John, A., & Yunus, K. B. (2011). Spatial variation and community composition of phytoplankton along the Pahang estuary, Malaysia. Asian Journal of Biological Sciences, 4, 468-476.
48. Abidin, Z. A. Z., & Chowdhury, A. J. K. (2018). Heavy metals and antibiotic resistance bacteria in marine sediment of Pahang coastal water. Journal Clean WAS, 2(1), 20-22.
49. Rana, M. M., Asdaria, R., Mahmud, S., Irfan, A. F., Chowdhury, A. J. K., & Munir, M. B. (2023). Marine water aquaculture and an IoT-based smart fish dryer of the future: a sustainable environmental approach. Desalination and Water Treatment, 315, 515-522.
50. Parven, M., Hossain, M. B., Rahman, M. F., Jalal, K. C. A., Jahan, N., & Amin, S. M. N. (2013). Limnological parameters affecting monthly abundance of chironomid larvae in a fish pond and their role in the diet of catfish, Clarias batrachus.
51. Abuljadayel, D. A., Bukhari, D. A. A., Eissa, M. E., Munir, M. B., Chowdhury, A. J. K., & Eissa, E. S. H. (2023). Utilization of probiotic bacteria Pediococcus acidilactici to enhance water quality, growth performance, body composition, hematological indices, biochemical parameters, histopathology and resistance of red tilapia (Oreochromis sp.) against Aeromonas sobria. Desalination and Water Treatment, 315, 469-478.
52. John, A., Raveen, B. N., Sheikh, H. I., Kamal, A. H. M., Vedharajan, B., Pandisamy, R., ... & Appadoo, C. (2023). Seagrass of Southeast Asia: Challenges, prospects, and management strategies. In Climate change and urban environment sustainability (pp. 279-291). Singapore: Springer Nature Singapore.
53. Mustapha, S. N., John, A., Sheikh, H., Chowdhury, A. J. K., & Yunus, K. (2020). Acute-lethal toxicity test on juvenile Oreochromis niloticus exposed to Piper betle extract under static exposure. Ecofeminism and Climate Change, 1(2), 79-87.
54. Ab Rahman, N., Chowdhury, A. J. K., Abidin, Z. A. Z., & Azira, Z. (2015). Antibiotic resistant bacteria from sediment of coastal water of Pahang, Malaysia. Jurnal Teknologi, 77(24), 65-70.
55. Siddiquee, M. M., Rahman, M. F., Jahan, N., Jalal, K. C., Amin, S. M., & Arshad, A. (2012). Impact of exotic carps in the polyculture with indigenous carps: competition for food. Pakistan Journal of Biological Sciences: PJBS, 15(12), 568-575.
56. Yunus, K., Suhaimi, M., Zahir, M., John, A., Khan Chowdhury, A. J., Saad, S., & Goddard, J. S. (2011). Bioaccumulation of some metals by Green mussel Perna viridis (Linnaeus 1758) from Pekan, Pahang, Malaysia. International Journal of Biological Chemistry, 5(1), 54-60.
57. Kamaruzzaman, B. Y., Hasrizal, B. S., Nizam, B. M., Ong, M. C., Jalal, K. C. A., & Shahbuddin, S. (2009). Geochemical proxy of sediment cores from Terengganu coastal water, Malaysia. Oriental Journal of Chemistry, 25(1), 9.
58. Sheikh, H. I., Nordin, B., Paharuddin, N., Liew, H. J., Fadhlina, A., Abdulrazzak, L. A., ... & Musa, N. (2023). Virulence factors and mechanisms of Aeromonas hydrophila infection in catfish

Siluriformes: a review and bibliometric analysis. Desalination and Water Treatment, 315, 538-547.

59. Miah, M. S. U., Sulaiman, J., Zamli, K. Z., Rashid, S. S., & Chowdhury, A. J. K. (2023, April). Predicting carboxymethyl cellulase assay (cmcase) production using artificial neural network and explicit feature selection approach. In 2023 IEEE 8th International conference for convergence in technology (I2CT) (pp. 1-6). IEEE.
60. Abidin, Z. Z., Malek, N. A., Zin, N. M., & Chowdhury, A. J. K. (2020). Rare Actinomycetes from Kuantan Mangrove Forest Sediment. Clean WAS, 4, 79-83.
61. Ashraf, M. A., Amescua García, C. M., & Chowdhury, A. J. K. (2019). Introduction environment, development and sustainability. Revista Internacional de Contaminación Ambiental, 35, 7-9.
62. Ashraf, M. A., Hussin, N. H., Yusoff, I., & Gharibreza, M. (2017). Study of the impacts of some domestic pollutants on the freshwater fish community in the Klang River, Malaysia. Earth Sciences Malaysia (ESMY), 1(1), 1-7.
63. Zhao, Q. Q., Chen, M. Y., He, R. L., Zhang, Z. F., & Ashraf, M. A. (2016). Review on antibacterial characteristics of bridge engineering biomaterials. Saudi Journal of Biological Sciences, 23(1), S137-S141.
64. Kumar, C. P., John, B. A., Khan, S. A., Lyla, P. S., Kamaruzzam, B. Y., & Jalal, K. C. A. (2013). Cultivable marine bacterial isolates from a sponge Hyattella cribriformis. Journal of Biological Sciences, 13(1), 26-32.
65. Hossain, M. B., Ahmed, S., Rahman, M. F., Kamaruzzaman, B. Y., Jalal, K. C. A., & Amin, S. M. N. (2013). Method development and validation of nitrofuran metabolites in shrimp by liquid chromatographic mass spectrometric system. Journal of Biological Sciences, 13(1), 33.
66. Chowdhury, A., Hazra, A. K., Mahajan, S. C., & Choudhury, J. (2007). Microbial communities of earthworm (Perionyx excavatus Perrier) gut, cast and adjacent Soil in two different fields of west Bengal. Records of the Zoological Survey of India, 101-113.
67. Diah, W., Marsal, C. J., Tamat, W., & Chowdhury, A. J. K. (2023). Contamination prevention in ASEAN aquaculture: a review of prospective challenges and mitigations. Desalination and Water Treatment, 315, 523-537.
68. Salleh, S. M., Sah, S. A. M., & Chowdhury, A. J. K. (2022). The survival rate from splitting clutch design method for green turtle's relocated nest in Penang Island, Malaysia. Tropical Life Sciences Research, 33(3), 107.
69. Jalal, K. C. A., John, A., Hassan, B., Sheikh, I., Shahbudin, S., & Nor Hafiza, Y. A. A. (2017). Study on physicochemical parameters and distribution of phytoplankton in Kuantan estuary, Pahang. Environment and Ecosystem Science, 1(1), 8-12.
70. Ridzwan, B. H., Fong, Y. S., Hasniwati, M. H., Shaari, B., & Jalal, K. C. A. (2002). The effect of Morinda citrifolia on isolated rat hearts. Pakistan Journal of Biological Sciences (Pakistan), 5(10).