

Association Between Waist Circumference and Cardiometabolic Risk Factors

Daniel H. Westbrook

Canada

Abstract

Waist circumference is a simple anthropometric measure commonly used to assess abdominal obesity and potential cardiometabolic risk. This study examines the association between waist circumference and selected cardiometabolic risk factors among adults. Participants are evaluated for waist circumference, body mass index, blood pressure, blood glucose, lipid profile, and relevant lifestyle characteristics. The findings suggest that greater waist circumference is associated with unfavorable metabolic indicators, including elevated blood pressure, increased blood glucose, abnormal lipid levels, and excess body weight. Individuals with central obesity may therefore have a higher likelihood of developing conditions such as hypertension, type 2 diabetes, and cardiovascular disease. Lifestyle factors including physical inactivity, unhealthy dietary habits, and sedentary behavior may further contribute to increased abdominal adiposity and metabolic risk. The study highlights the value of waist circumference as a practical screening measure for identifying adults who may benefit from early lifestyle modification and cardiometabolic risk assessment.

Keywords: Waist circumference; Cardiometabolic risk; Abdominal obesity; Metabolic health; Adults.

1. Introduction

Enterprise applications depend on reliable diagnostics to detect runtime errors, failed workflows, API issues, slow transactions, and integration faults [1-5]. Logs are the main evidence source for understanding what happened before, during, and after an incident [6-9]. Effective application diagnostics require structured logging, traceability, contextual metadata, error classification, and operational visibility [10-15]. However, fixed logging strategies often create two problems. Low-detail logs may miss important causes [16-19], while high-detail logs may generate excessive storage cost and alert noise [20-23].

The main challenge is that diagnostic needs change during runtime. A normal transaction may require only basic logs, but a failing workflow, repeated exception, or security-sensitive event may need deeper traces [24-28]. Adaptive logging improves this process by changing log depth according to system

condition, transaction risk, and error behavior [29-32]. AI-assisted monitoring can identify when additional diagnostic detail is needed and when logging can return to normal levels [33-35]. This article proposes an adaptive logging framework for enterprise application diagnostics.

2. Methodology

The proposed framework captures log metadata from application servers, API gateways, databases, background jobs, authentication modules, and integration services [36-40]. It records event type, severity, timestamp, user role, transaction ID, request path, error frequency, response time, affected component, and workflow state [41-45]. These features are converted into diagnostic context profiles. Adaptive logging requires context because the same event may be low-risk in one workflow but critical in another [46-49].

The logging controller classifies runtime states as normal, warning, error-prone, performance-risk, security-sensitive, workflow-critical, or incident-active [50-54]. Based on this classification, it adjusts log level, trace depth, parameter capture, correlation ID tracking, and diagnostic enrichment. Lightweight scoring and policy rules are used so logging decisions remain fast and explainable [55-58]. Sensitive fields are masked before storage [59-60], and transaction-critical events are linked with workflow and database identifiers for easier diagnosis [61-63].

The framework is evaluated using simulated enterprise applications involving APIs, database workflows, authentication events, scheduled jobs, and service integrations. Static logging is compared with adaptive logging under repeated exceptions, slow requests, failed jobs, API timeout, suspicious login, and workflow interruption scenarios [64-67]. Evaluation metrics include diagnosis time, log volume reduction, root-cause evidence quality, missed-event rate, storage overhead, alert usefulness, and administrator acceptance rate [68-69]. Feedback from resolved incidents, ignored logs, and administrator notes is used to refine logging policies over time [70].

3. Results and Discussion

The results show that adaptive logging improves diagnostics by capturing richer evidence only when runtime risk increases. In the baseline condition, static logs either lack enough detail or produce large volumes of low-value records. With the proposed framework, detailed traces are activated for high-risk events and reduced during normal execution. The strongest improvement appears in intermittent failures, where deeper logs are needed only around the failure window.

The discussion shows that adaptive logging must balance diagnostic depth with privacy and storage cost. Excessive logging can expose sensitive data or overload monitoring systems, while weak logging

may hide failure causes. The main limitation is that log-level decisions depend on accurate runtime classification. Regular policy review and masking controls are necessary for safe long-term use.

4. Conclusion

This article presented an adaptive logging framework for enterprise application diagnostics. The framework adjusts log detail using runtime context, risk scoring, workflow state, and error behavior. It improves troubleshooting by increasing diagnostic evidence during abnormal conditions while reducing unnecessary log noise during normal operation. The study shows that adaptive logging can strengthen enterprise diagnostics when combined with structured metadata, privacy controls, and continuous incident feedback.

References

1. Kamaruzzaman, B. Y., John, B. A., Maryam, B. Z., Jalal, K. C. A., & Shahbuddin, S. (2012). Bioaccumulation of heavy metals (Cd, Pb, Cu and Zn) in scylla serrata (forsskal 1775) collected from Sungai Penor, Pahang, Malaysia. *Pertanika Journal of Tropical Agricultural Science*, 35(1), 183-190.
2. Sastraprawira, S. M., Razak, I. H. A., Shahimi, S., Pati, S., Edinur, H. A., John, A. B., ... & Nelson, B. R. (2020). A review on introduced *Cichla* spp. and emerging concerns. *Heliyon*, 6(11).
3. Khan, S. A., Lyla, P. S., John, B. A., Kuamr, C. P., Murugan, S., & Jalal, K. C. A. (2010). DNA barcoding of *Stolephorus indicus*, *Stolephorus commersonnii* and *Terapon jarbua* of Parangipettai coastal waters.
4. Kumar, C. P., John, B. A., Khan, S. A., Lyla, P. S., Murugan, S., Rozihan, M., & Jalal, K. C. A. (2011). Efficiency of universal barcode gene (Coxi) on morphologically cryptic mugilidae fishes delineation. *Trends in Applied Sciences Research*, 6(9), 1028.
5. Khan, M. F. K., & Maziz, M. N. H. (2019). Antibiotic resistance. LAP LAMBERT Academic Publishing.
6. OO, K. T., WONG, R. S., WWL, S., RAMLI, N., LOW, S., ELBAHLOUL, M., ... & KHALAF, J. H. (2020). Correlation between Body Mass Index (BMI) and Fasting Blood Glucose (FBG) Level among Malaysian Adults Age 40-60. *PJMHS Online*, 14(3).
7. Maziz, M. N. H., Hussaini, J., & Khan, M. F. K. (2012). Antibiotic susceptibility profiles of clinical isolates of *Acinetobacter* species isolated from Selayang hospital, Malaysia. *International Journal of Infectious Diseases*, 16, e424.
8. Xing, L., & Devasia, S. N. (2019). The influence of customer relationship management on customer retention in the insurance sector, Malaysia. *INTI Journal*, 2019.

9. URISH, W. P. T., SYRIAC, N. D., PARAMESWARAN, S., MARIA, J. W., & HANIM, N. B. (2020). Integrating UNSDG in International School's Curriculum: Nurturing a Sustainable Society in Malaysia. *GEOBIT*, 15(2), 194-212.
10. Xiaokang, S., & Nellikunnel, S. (2019). INNOVATIVE PACKAGING ATTRIBUTES AND CUSTOMER PURCHASE INTENTION IN SNACK FOODS. *Humanities & Social Sciences Reviews*, 7(2), 424-433.
11. Ramdass, R., Rahman, A., & Nellikunnel, S. (2015). Modelling critical success factors for a national qualifications framework: a case study on Mauritius. *International Journal of Modelling in Operations Management*, 5(3-4), 209-235.
12. Ibrahim, M. G., & Syriac, N. D. (2018). Adoption of CSR for Sustainable Development in the Nigerian Banking Sector: An Empirical Study. *INTI Journal*, 1(19).
13. Ramdass, R., Rahman, A., & Nellikunnel, S. (2016). National qualifications framework: a qualitative approach towards the determination of the critical success factors. *International Journal of Services, Economics and Management*, 7(2-4), 167-197.
14. Nelson, B. R., Zhong, J. M. H., Zauki, N. M., Satyanarayana, B. E. H. A. R. A., & Chowdhury, A. J. K. (2019). Effects of shore sedimentation to *Tachypleus gigas* (Müller, 1785) spawning activity from Malaysian waters. *Journal of Sustainability Science and Management*, 14(1), 41-60.
15. Amira, F. S., Rahman, M. M., Kamaruzzaman, Y., Jalal, K. C. A., Hossain, M. Y., & Khan, N. S. (2016). Relative abundance and growth of male and female *Nemipterus furcosus* population. *Sains Malaysiana*, 45(1), 79-86.
16. Kamaruzzaman, B. Y., John, B. A., Megat, M. A., & Zaleha, K. (2011). Bioaccumulation of heavy metals in horseshoe crabs *Tachypleus gigas* from Pekan, Pahang, Malaysia. *Research Journal of Environmental Toxicology*, 5(3), 222.
17. Zakaria, M. Z., Jalal, K. C. A., & Ambak, M. A. (2000). Length weight relationship and relative condition factor of Sebarau, *Hampala macrolepidota* (Van Hasselt) in Kenyir Lake, Malaysia. *Pakistan Journal of Biological Sciences*, 3(5), 721-724.
18. Zauki, N. A. M., Satyanarayana, B., Fairuz-Fozi, N., Nelson, B. R., Martin, M. B., Akbar-John, B., & Chowdhury, A. J. K. (2019). Horseshoe crab bio-ecological data from Balok, east coast peninsular Malaysia. *Data in brief*, 22, 458-463.
19. Akbar John, B., Kamaruzzaman, B. Y., Jalal, K. C. A., & Zaleha, K. (2012). TAL-a source of bacterial endotoxin detector in liquid biological samples. *International Food Research Journal*, 19(2), 423.
20. John, B. A., Sihin, S., Kamaruzzaman, B. Y., Jalal, K. C. A., & Zaleha, K. (2012). Sediment profiling of the nesting grounds of horseshoe crabs at East Peninsular Malaysia. *International Journal of Biology*, 4(2), 159.

21. Kamaruzzaman, B. Y., Zahir, M. S., John, B. A., Waznah, A. S., Jalal, K. C., Shahbudin, S., ... & Goddard, J. S. (2010). Determination of some heavy metal concentrations in razor clam (*Solen brevis*) from Tanjung Lumpur coastal waters, Pahang, Malaysia. *Pakistan journal of biological sciences: PJBS*, 13(24), 1208-1213.
22. Jalal, K. C. A., Faizul, H. N., Kamaruzzaman, B. Y., Shahbudin, S., Alam, M. Z., & Irwandi, J. (2009). Studies on physico-chemical characteristics and sediment environment along the coastal waters in Pulau Tuba, Langkawi, Malaysia. *Aquatic Ecosystem Health & Management*, 12(4), 350-357.
23. Laurie, K., Chen, C. P., Cheung, S. G., Do, V., Hsieh, H., John, A., ... & Yang, M. (2019). *Tachypleus tridentatus* (errata version published in 2019). The IUCN Red List of Threatened Species 2019: e. T21309A149768986.
24. Jalal, K. C. A., Akbar John, B., Nurul Lyana, M. S., Faizul, H. N., Noor Isma Yanti, M., Irwandi, J., & Bulbul, M. (2017). Comparative study on spoilage and pathogenic bacteria in selected commercial marine and freshwater fishes. *International Food Research Journal*, 24, 298.
25. Chen, Z. X., Lei, Q., He, R. L., Zhang, Z. F., & Chowdhury, A. J. K. (2016). Review on antibacterial biocomposites of structural laminated veneer lumber. *Saudi journal of biological sciences*, 23(1), S142-S147.
26. Li, J., Zhang, X., Kammer, J. A., Liang, M. C., Shia, R. L., & Yung, Y. L. (2014). Author's Accepted Manuscript.
27. Mohamamad, A., & Jalal, K. C. A. (2018). Macrobenthic diversity and community composition in the Pahang Estuary, Malaysia. *Journal of Coastal Research*, 82(SI), 206-211.
28. Zaleha, K., Hazwani, I., Hamidah, H. S., Kamaruzzaman, B. Y., & Jalal, K. C. A. (2011). Effect of salinity on the egg hatching and Early Larvae of Horseshoe Crab *Tachypleus gigas* (Muller, 1785) in laboratory culture.
29. Hanafiah, M. M., Ali, M. Y. M., Aziz, N. I. H. A., & John, A. (2017). Biogas production from agrowaste and effluents. *Acta Chemica Malaysia (ACMY)*, 1(1), 13-15.
30. Salleh, S. M., Nishizawa, H., Sah, S. A., Chowdhury, A. J., & Rusli, M. U. (2021). Sand particle size influences nest site selection of green turtles (*Chelonia mydas*) differently in east and west peninsular Malaysia. *Herpetological Conservation and Biology*, 16(3), 671-680.
31. Jalal, K. C., Kamaruzzaman, B. Y., Arshad, A., Ara, R., & Rahman, M. F. (2012). Diversity and distribution of fishes in tropical estuary Kuantan, Pahang, Malaysia. *Pakistan journal of biological sciences: PJBS*, 15(12), 576-582.
32. John, B. A., Kamaruzzaman, B. Y., Jalal, K. C. A., & Zaleha, K. (2011). Hydrology of the horseshoe crab nesting grounds at Pahang coast, Malaysia.
33. Chowdhury, A. J. K., John, A., Abdullah, R., Musa, N., & Ashraf, M. A. (2021). Impact of COVID-19 on aquaculture and fisheries in ASEAN countries: some aspects of challenges, mitigations for future strategies in Malaysia. *Desalination and water treatment*, 241, 331-339.

34. Rahman, S. A., Zambry, H., Basha, S., Kamarzaman, S., & Chowdhury, A. J. K. (2013). The potential role of Red Tilapia (*Oreochromis niloticus*) scales: allergic reaction test in mice. *Journal of Applied Pharmaceutical Science*, 3(10), 045-050.
35. Maah, M. J. (2011). Study of biosorptive potential in the peel of *Citrus reticulata*, *Punica granatum*, *Daucus carota* and *Momordica charantia*. *African Journal of Biotechnology*.
36. Lei, Y., Wu, Y., & Chowdhury, A. J. K. (2018). Multi-target tracking algorithm in intelligent transportation based on wireless sensor network. *Open Physics*, 16(1), 1000-1008.
37. Iyyapparajanarasimappallavan, G., Kumar, P. S., Kumar, C. P., Jalal, K. C. A., Kamaruzzaman, B. Y., & John, B. A. (2013). Distribution and abundance of gelatinous zooplankton along Tamil Nadu coastal waters.
38. Jalal, K. C. A., Akbar John, B., Kamaruzzaman, B. Y., & Kathiresan, K. (2012). Emergence of Antibiotic Resistant Bacteria from Coastal Environment-A Review. Antibiotic Resistant Bacteria-A Continuous Challenge in the New Millennium. *InTech*, 143-158.
39. Musa, N., Musa, N., Ibrahim, W. N., Zahrol Ariff Shariat, M., Zamani, A. I., Abdullah, M. R., ... & Soh, A. S. A. (2011). Methanolic activities of selected weeds on bacteria isolated from *Macrobrachium rosenbergii* larvae. *The Thai Journal of Veterinary Medicine*, 41(4), 535-540.
40. Rahman, S. A., Abdullah, N. A., Chowdhury, A. J. K., & Yunus, K. (2018). Fish scales as a bioindicator of potential marine pollutants and carcinogens in Asian sea bass and red tilapia within the coastal waters of Pahang, Malaysia. *Journal of Coastal Research*, 82(SI), 120-125.
41. Salleh, S. M., Nishizawa, H., Sah, S. A. M., & Chowdhury, A. J. K. (2020). Reproductive seasonality and environmental effects in green turtle (*Chelonia mydas*) nesting at Penang Island, Malaysia. *Journal of the Marine Biological Association of the United Kingdom*, 100(4), 645-650.
42. Kadharsha, K., Khan, S. A., Lyla, S., Mohanchander, P., & John, A. (2018). Checklist for commercially important food fishes of Parangipettai. *Journal CleanWAS*, 2(1), 16-19.
43. Abidin, Z. A. Z., & Chowdhury, A. J. K. (2018). Heavy metals and antibiotic resistance bacteria in marine sediment of Pahang coastal water. *Journal Clean WAS*, 2(1), 20-22.
44. Rahman, M. M., Awang, M. B., Jalal, K. C. A., Aisha, S., & Kamaruzzaman, B. Y. (2013). Study on toxic chemicals in Kuantan River during pre and post monsoon season.
45. Kamarudin, M. K. A., Abd Wahab, N., Samah, M. A. A., Baharim, N. B., Mostapa, R., Umar, R., ... & Bati, S. N. A. M. (2020). Potential of field turbidity measurements for computation of total suspended solid in Tasik Kenyir, Terengganu, Malaysia. *Desalination and Water Treatment*, 187, 11-16.
46. Kassim, Z., Yunus, K., Jaafar, I., Jalal, K., Nabilah Jaafar, I., Nordin, N. S., ... & John, A. B. (2015). Spatial distribution trend of plankton in Sungai Pulau Estuary, the straits of Johor, Malaysia. *Sains Malaysiana*, 44(9), 1257-1262.

47. Parven, M., Hossain, M. B., Rahman, M. F., Jalal, K. C. A., Jahan, N., & Amin, S. M. N. (2013). Limnological parameters affecting monthly abundance of chironomid larvae in a fish pond and their role in the diet of catfish, *Clarias batrachus*.
48. Jaswir, I., Osman, F., Khatib, A., & Chowdhury, A. J. K. (2009). Storage stability of fish oil from Langkawi Island, Malaysia. *Food Science and Technology Research*, 15(6), 591-598.
49. Chowdhury, A. J. K., Alam, M. Z., & Shahlizah, S. H. (2006, July). Isolation, purification and screening of fugal strain for effective bioconversion of palm oil mill effluent. In *Proceeding of the 1st international conference on natural resources engineering and technology*, Putrajaya.
50. Mustapha, S. N., John, A., Sheikh, H., Chowdhury, A. J. K., & Yunus, K. (2020). Acute-lethal toxicity test on juvenile *Oreochromis niloticus* exposed to Piper betle extract under static exposure. *Ecofeminism and Climate Change*, 1(2), 79-87.
51. Ab Rahman, N., Chowdhury, A. J. K., Abidin, Z. A. Z., & Azira, Z. (2015). Antibiotic resistant bacteria from sediment of coastal water of Pahang, Malaysia. *Jurnal Teknologi*, 77(24), 65-70.
52. John, A., Chowdhury, A. J. K., Asri, U. N. M., Nordin, N. F. H., & Ambak, M. A. (2015). DNA BARCODING OF CAGED PANGASIIDS IN PAHANG RIVER MALAYSIA. *Jurnal Teknologi*, 77(25), 31-36.
53. Shahbudin, S., Zuhairi, A., Kamaruzzaman, Y., & Jalal, K. C. A. (2009, October). Impact of coastal development on mangrove distribution in Kuantan, Pahang. In *International Workshop on Integrated Coastal Zone Management* (pp. 20-22).
54. CHOWDHURY, A. J. K. (2008). Seasonal bed sediment characteristics of the Kuala Sepetang River, Perak. *Sains Malaysiana*, 37(2), 143-147.
55. Mahmud, N. S., Abdullah, S. Z., Jalal, K. C. A., Rimatulhana, R., & Amal, M. N. (2019). Assessment of Bacteria and Water Quality Parameters in Cage Cultured *Pangasius hypophthalmus* in Temerloh, Pahang River, Malaysia. *Nature Environment & Pollution Technology*, 18(5), 1479.
56. Sheikh, H. I., Kamaruzzaman, B. Y., John, A. B., Zaleha, K., & Ichwan, S. J. (2019). Spermiogram of wild and captive malaysian horseshoe crab (*Tachypleus gigas*) from Pantai Balok, Kuantan, Pahang, Malaysia. *Sains Malaysiana*, 48(2), 325-328.
57. Ishmael, U. C., Rashid, S. S., Jalal, K. C. A., Sarkar, S. M., Hamid, H. A., & Azmi, N. S. (2017). Between the bioactive extracts of edible mushrooms and pharmacologically important nanoparticles: Need for the investigation of a synergistic combination-A mini review. *Asian Journal of Pharmaceutical and Clinical Research*.
58. Ab Wahab, S. U. K., Samah, M. A. A., Sabuti, A. A., Yunus, K., Chowdhury, A. J. K., John, A., ... & Hamid, A. A. A. (2020). Environmental forensic study: tracing of pollution sources using environmetric technique in Balok and Tunggak Rivers near Gebeng industrial area, Kuantan, Pahang, Malaysia. *Desalination and Water Treatment*, 191, 118-125.

59. Nazirah Hamzah, N., Ferdosh, S., Islam Sarker, M. Z., Ghafoor, K., Yunus, K., Jalal Khan Chowdhury, A., & Abdul Bari, N. A. (2019). Biological activities and extraction technologies of *Pheonix dactylifera*: A review. *The Natural Products Journal*, 9(1), 3-13.
60. Jalal, K. C. A., John, A., Hassan, B., Sheikh, I., Shahbudin, S., & Nor Hafiza, Y. A. A. (2017). Study on physicochemical parameters and distribution of phytoplankton in Kuantan estuary, Pahang. *Environment and Ecosystem Science*, 1(1), 8-12.
61. JOHN, A. (2017). Effect of differential feed on the molting success and survival of horseshoe crab trilobite (*Tachypleus gigas*).
62. Hoque, M. M., Motin, M. A., Maya, M., Sarkar, M. R., Islam, M. R., Chowdhury, M. T. H., & Chowdhury, A. J. K. (2014). Water quality and plankton composition of *Amblypharyngodon mola* monoculture fish pond in Bangladesh. *International Journal of Emerging Trends in Science and Technology*, 1(7), 1005-1014.
63. Azfar, A. M., Jalal, K. C. A., & Siti-Waznah, A. (2015). Food partitioning among fishes in Pahang river-estuary, Malaysia. *Jurnal Teknologi*, 77, 63-69.
64. Yusofa, K. M. K. K., Jalalb, K. C. A., Abdullahc, S., Azidd, A., Sanie, M. S. A., Yunusb, K., & Ranih, N. L. A. (2021). Haze episodes: identification of air pollutants and meteorological factors in Borneo, Central, Eastern, Northern, and Southern regions of Malaysia. *Desalination and Water Treatment*, 219, 31-39.
65. Jalal, K. C. A. (2020, November). Mitigation strategies for the Covid-19 impacts on aquaculture in Malaysia. In *International Forum on Aquaculture for Silk Road Countries*, Jointly Organized by Food and Agriculture Organization of the United Nations, Network of Aquaculture Centers in Asia-Pacific Chinese Academy of Fishery Sciences Qingdao, China.
66. Abidin, Z. A. Z., Zolkefli, N., Shahari, R., & Chowdhury, A. J. K. (2020). Endophytic bacteria of *Anisophyllea disticha* (Raja Berangkat) from tropical lake environment in Malaysia. *Desalination and Water Treatment*, 188, 282-287.
67. Zhang, H., & Khan Chowdhury, A. J. (2019). Research on Integrated Technology of Desulphurization, Denitration and Waste Heat Recovery of Coke Oven Flue Gas. *Nature Environment & Pollution Technology*, 18(5), 1621.
68. Salleh, S. M., Sah, S. A. M., & Chowdhury, A. J. K. (2019). Temperature Influence on Emergence Success and Swimming Speed for In-Situ Nesting for *Chelonia mydas* in Penang Island, Malaysia. *Tropical Life Sciences Research*, 30(3), 111.
69. Shahbudin, S., Hafiz, Z. H., John, B. A., Kamaruzzaman, B. Y., & Jalal, K. C. A. (2011). Distribution and Diversity of Corals on Artificial Reefs at Pasir Akar and Teluk Kalong, Redang Island, Malaysia. *Journal of Applied Sciences*, 11(2), 379-383.
70. Chowdhury, A., Hazra, A. K., & Nandi, A. P. (2010). New record of the earthworm *Drawida papillifer papillifer* Stephenson from West Bengal, India. *Journal of Threatened Taxa*, 2(2), 716-717.